


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

POULTRY

280.347
1134P Slaughtered Under Federal Inspection and
Poultry Used in Canning and Other Processed
Foods - April 1962



June 1, 1962

Canned and processed poultry- Poultry inspected and used for canning and other processed foods in April 1962 totaled 38,462,000 pounds ready-to-cook weight, compared with 35,976,000 pounds in April 1961. The quantity used in April 1962 consisted of 6,452,000 pounds of young chickens, 18,690,000 pounds of mature chickens, 9,928,000 pounds of turkeys and 3,392,000 pounds of other poultry.

Inspected poultry - The number of head(chickens, turkeys, and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during April 1962 amounted to 154,554,000, compared with 152,722,000 in April 1961. The number of head(live weight) inspected by classes were: young chickens, 144,776,000 head, 501,208,000 pounds; mature chickens, 6,935,000 head, 36,687,000 pounds; fryer-roaster turkeys, 1,048,000 head, 9,173,000 pounds; young turkeys, 733,000 head, 11,823,000 pounds; old turkeys, 162,000 head, 3,308,000 pounds; and ducks, 900,000 head, 5,904,000 pounds.

Certified poultry - The quantity of poultry certified as wholesome during April 1962 totaled 411,269,000 pounds ready-to-cook weight of which 341,137,000 pounds were iced and 70,132,000 were frozen. Total pounds certified by class of poultry were as follows: young chickens 362,315,000 pounds; mature chickens, 25,499,000 pounds; fryer-roaster turkeys, 7,204,000 pounds; young turkeys, 9,358,000 pounds; old turkeys, 2,620,000 pounds; ducks, 4,209,000 pounds; and other poultry, 64,000 pounds.

Ante-mortem condemnations amounted to 1,102,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected; young chickens, 0.19 percent; mature chickens, 0.30 percent; fryer-roaster turkeys, 0.16 percent; young turkeys, 0.16 percent; old turkeys, 0.23 percent; and ducks 0.01 percent.

Post-mortem condemnations in April 1962 amounted to 11,851,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.38 percent; mature chickens, 2.32 percent; fryer-roaster turkeys, 0.97 percent; young turkeys, 1.36 percent; old turkeys, 2.59 percent; and ducks, 1.54 percent. In April 1961, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.98 percent; mature chickens, 2.54 percent; fryer-roaster turkeys, 1.17 percent; young turkeys, 1.03 percent; old turkeys, 2.19 percent; and ducks, 1.91 percent.

Poultry: Slaughtered under Federal Inspection, April 1962 with comparisons

Class	Number Inspected		Pounds Inspected (live weight)		Average live weight	
	March		April		April	
	1962	1961	1962	1961	1962	1961
	Thou.	Thou.	Thou.	Thou.	Pounds	Pounds
Young chickens	136,857	143,196	144,776	503,965	517,504	1,726,793
Mature chickens	7,126	6,428	6,935	28,718	31,127	36,687
Total chickens	143,983	149,624	151,711	532,683	548,631	530,630
Fryer-roasters	1,051	1,161	1,048	4,779	3,665	9,253
Young turkeys	375	860	733	3,575	2,923	13,292
Old turkeys	80	248	162	626	365	1,674
Total turkeys	1,506	2,269	1,943	8,980	6,953	17,465
Ducks	386	829	900	1,644	1,588	2,406
Other poultry	---	---	---	---	---	---
Total poultry	---	---	---	---	---	---

Pounds certified (ready-to-cook weights)

Class	March 1962		April 1961		April 1962		January-April 1961		January-April 1962	
	Iced		Frozen		Iced		Frozen		Iced	
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	303,651	35,822	339,473	325,257	32,658	357,915	319,057	43,258	362,315	1,132,747
Mature chickens	17,957	7,592	25,549	16,683	6,482	23,165	17,065	8,434	25,499	68,156
Total chickens	321,608	43,414	365,022	341,940	39,140	381,080	336,122	51,692	387,814	1,200,903
Fryer-roasters	1,729	5,515	7,244	1,494	6,392	7,886	2,193	5,011	7,204	5,877
Young turkeys	940	4,272	5,212	1,144	9,491	10,635	2,460	6,898	9,358	8,011
Old turkeys	104	1,213	1,317	236	3,672	3,908	196	2,424	2,620	805
Total turkeys	2,773	11,000	13,773	2,874	19,555	22,429	4,849	14,333	19,182	14,693
Ducks	124	1,570	1,694	107	3,694	3,801	165	4,044	4,209	681
Other poultry	1	62	63	1	49	50	1	63	64	9
Total poultry	324,506	56,046	380,552	344,922	62,438	407,360	341,137	70,132	411,269	1,216,286

Poultry: Condemnations of poultry slaughtered under Federal inspection, April 1962 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight):		Percent 1/		Pounds (live weight):		Percent 2/	
	April	1961	April	1961	April	1961	April	1961
	1962	1961	1962	1961	1962	1961	1962	1961
Young chickens	944	1,000	0.19	0.19	1,000	1,000	1.98	2.38
Mature chickens	80	109	.24	.30	4,048	8,831	2.54	2.32
Total chickens	1,024	1,060	.19	.20	4,497	9,587	2.01	2.37
Fryer-roasters	20	15	.20	.16	127	105	1.17	.97
Young turkeys	12	18	.09	.16	108	123	1.03	1.36
Old turkeys	5	8	.10	.23	17	95	2.19	2.59
Total turkeys	37	41	.13	.17	251	323	1.28	1.38
Ducks	6	1	.12	.01	2	92	1.91	1.54
Other poultry 3/	---	---	---	---	1	1	1.16	.90
Total	1,067	1,102	.19	.19	4,799	10,003	1.97	2.32

Poultry: Inspected for canning and other processed foods, April 1962 with comparisons 4/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	March		April		March		April	
	1962	1961	1962	1961	1962	1961	1962	1961
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	7,048	6,826	6,452	26,518	3	9	5	36
Turkeys	18,570	20,426	18,690	77,077	12	5	20	57
Other poultry 5/	9,591	5,717	9,928	31,244	6	2	5	19
Total	3,807	3,007	3,392	10,904	1	6	1	10
	39,016	35,976	38,462	145,743	22	22	31	122

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)

5/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal inspection, by regions and selected States, April 1961 and 1962

Region and State	Number inspected	Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
		1961 : 1962		1961 : 1962		1961 : 1962		1961 : 1962	
		Thou.	Thou.	Thou.	Thou.	pounds	pounds	pounds	Percent
NAtl.	13,176	12,783	51,397	3.90	3.94	36,233	36,018	833	1.81
E.N.Cent.	4,373	3,597	15,661	3.58	3.54	11,442	9,540	189	1.34
W.N.Cent.	5,193	4,203	17,148	3.30	3.31	12,135	9,916	402	2.61
SAtl.	60,535	61,671	213,270	3.52	3.50	154,440	156,958	3,464	1.81
S.Cent.	55,692	58,937	185,208	3.33	3.32	133,192	140,835	3,572	2.15
West.	4,227	3,585	14,828	3.51	3.52	10,473	9,048	371	2.79
U.S.	143,196	144,776	497,512	3.47	3.46	357,915	362,315	8,831	1.98
Maine	4,647	4,904	18,590	4.00	4.02	13,359	14,574	289	1.74
Mass.	443	455	1,793	4.05	4.03	1,241	1,294	25	1.58
Conn.	1,280	916	4,216	3.29	3.64	2,802	2,182	81	2.12
N.J. 3/	27	---	142	5.20	---	54	---	1	.85
Pa.	5,705	5,696	22,519	3.95	3.92	15,965	15,953	360	1.78
Ohio	1,277	917	4,734	3.71	3.64	3,464	2,456	52	1.22
Ind.	1,513	1,310	5,141	3.40	3.39	3,750	3,242	64	1.38
Ill-Mich. 4/	199	177	756	3.80	4.79	560	608	9	1.33
Wis.	1,384	1,193	5,030	3.63	3.75	3,668	3,234	64	1.42
Minn.	530	---	1,850	3.49	---	1,384	---	30	1.83
Mo.	3,197	3,197	14,078	3.21	3.22	9,849	7,262	362	2.86
Del.	6,624	6,624	23,109	3.83	3.85	17,033	18,854	473	1.47
Ma.	9,195	8,203	34,347	3.74	3.79	24,880	22,301	458	1.48
Va.	3,982	4,589	13,051	3.28	3.14	9,355	10,223	288	2.45
N.C.	14,884	14,852	51,950	3.49	3.52	38,249	38,103	661	1.42
S.C.	818	1,486	2,760	3.37	3.43	1,996	3,632	33	1.35
Ga.	24,539	25,083	84,422	3.44	3.37	60,277	61,776	1,680	2.21
Ky.	2,273	1,790	8,044	3.54	3.44	5,583	4,360	111	1.54
Tenn.	4,261	4,264	14,749	3.46	3.49	10,700	10,738	292	2.21
Ala.	13,017	14,766	44,052	3.38	3.36	32,321	36,365	941	2.38
Miss.	9,733	10,095	32,139	3.30	3.36	23,590	24,848	585	2.03
Ark.	17,004	17,762	54,993	3.23	3.19	38,471	39,918	1,145	2.32
La.-Okla. 4/	2,336	2,635	7,836	3.35	3.36	5,620	6,378	154	2.19
Texas	7,625	7,625	23,395	3.31	3.33	16,907	18,228	344	1.64
Idaho	323	382	1,049	3.25	3.42	752	960	14	1.52
Utah	76	47	263	3.47	3.65	194	129	3	1.10
Wash.	592	670	1,995	3.37	3.66	1,389	1,735	28	1.55
Oreg. 3/	465	---	1,574	3.39	---	1,057	---	67	4.73
Calif.	2,771	2,486	9,947	3.59	3.50	7,081	6,224	259	2.90
									3.23

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.
 Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.
 4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, April 1962

Region and State	Tuber- cullosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- exaltation	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	---	39,648	94,063	63,636	25,590	837	9	2,433	4,045	7,781	664	405	581	239,692
E.N.Cent.	---	3,067	18,518	22,091	4,758	275	9	1,032	2,999	2,010	236	---	725	55,720
W.N.Cent.	---	2,433	42,790	53,687	11,535	146	---	914	3,790	7,898	175	---	64	123,432
S.Atl.	---	97,023	151,596	629,684	43,285	2,371	18	6,858	32,927	41,115	4,856	3,342	345,539	1,358,614
S.Cent.	---	43,321	217,919	759,541	40,412	3,799	58	9,714	41,770	45,956	2,881	959	186,385	1,347,715
West.	---	2,765	28,458	38,178	8,878	510	2	862	1,794	5,159	914	12	14,672	102,204
U.S.	---	188,257	553,344	1,565,817	134,458	7,938	96	21,813	87,325	109,919	9,726	4,718	543,966	3,227,377
Maine	---	14,120	34,933	24,416	10,594	229	5	1,240	1,859	3,043	530	11	506	91,486
Mass.	---	1,073	5,498	1,296	1,817	162	---	135	366	301	25	---	46	10,719
Conn.	---	8,831	9,726	7,330	4,253	99	---	169	233	1,867	23	---	1	32,532
Pa.	---	13,954	41,610	23,776	6,260	310	4	563	1,351	2,220	77	3	27	90,155
Ohio	---	1,181	4,645	6,570	1,516	106	4	191	436	516	15	---	66	15,246
Ind.	---	1,455	8,846	7,215	1,738	46	1	313	727	706	198	---	337	21,582
Ill.-Mich. 1/	---	233	1,081	550	205	27	---	79	264	54	---	---	42	2,535
Wis.	---	198	3,946	7,756	1,299	96	4	449	1,572	734	23	---	280	16,357
Mo.	---	2,125	37,090	48,628	11,039	122	---	788	2,780	6,871	128	---	57	109,628
Del.	---	29,775	42,483	45,615	17,340	510	2	497	2,017	1,936	47	492	243	140,957
Md.	---	19,857	38,276	43,829	9,457	590	---	685	3,642	2,936	620	---	9,116	129,008
Va.	---	10,578	36,236	32,475	6,019	103	1	289	1,166	1,428	640	865	227	90,027
N.C.	---	10,237	13,264	110,224	5,990	525	8	2,381	8,890	9,601	622	134	116,508	278,384
S.C.	---	449	1,103	29,002	410	25	---	279	4,615	1,971	186	39	11,495	49,574
Ca.	---	25,046	18,743	366,243	3,845	588	7	2,651	12,097	22,807	2,721	1,812	205,392	661,952
Ky.	---	1,124	9,029	19,702	1,736	75	1	931	1,468	929	229	---	41	35,265
Tenn.	---	2,789	13,811	43,041	1,400	104	---	463	4,523	5,198	202	62	24,861	96,454
Ala.	---	5,847	12,808	281,583	480	226	2	982	10,266	9,964	237	113	78,143	400,651
Miss.	---	8,379	11,017	111,109	1,264	547	4	1,671	4,920	9,012	472	146	38,305	186,846
Ark.	---	13,522	118,289	223,838	18,753	1,251	13	2,981	13,226	9,924	1,012	588	40,108	443,505
La.-Okla. 1/	---	2,735	15,657	24,785	4,066	436	1	884	2,167	2,610	103	6	60	53,510
Texas	---	8,925	37,308	54,483	12,713	1,160	37	1,802	5,200	8,319	626	44	867	131,484
Idaho	---	56	1,920	1,776	35	23	---	210	288	291	48	---	541	5,188
Utah	---	94	231	105	145	18	---	7	49	1	1	---	---	651
Wash.	---	209	3,593	1,026	399	9	---	96	63	254	35	10	1,941	7,635
Calif.	---	2,406	22,714	35,271	8,299	460	2	549	1,394	4,613	830	2	12,190	88,730

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal inspection, by regions and selected States, April 1961 and 1962

Region and State	Number inspected	Pounds		Average		Total pounds		Post-mortem condemnations	
		inspected		live weight		certified		Pounds (NYD)	
		1961	1962	1961	1962	1961	1962	1961	1962
		1,000	1,000	Pounds	Pounds	pounds	pounds	pounds	Percent
N.Atl.	1,137	6,081	6,697	5.35	5.52	4,166	4,772	85	1.70
E.N.Cent.	982	4,390	4,625	4.47	4.57	3,181	3,170	98	2.37
W.N.Cent.	1,155	5,410	6,647	4.68	4.84	3,689	4,506	167	2.81
S.Atl.	1,249	7,568	8,508	6.06	5.96	5,445	6,090	147	1.92
S.Cent.	965	5,646	5,864	5.85	6.45	3,957	4,093	156	2.96
West.	940	4,023	4,346	4.28	4.35	2,727	2,868	112	2.87
U.S.	6,428	33,118	36,687	5.15	5.29	23,165	25,499	765	2.54
Maine	154	215	1,453	6.76	6.75	766	1,158	17	1.86
Conn.	122	---	---	6.44	---	544	---	7	1.04
N.Y.	123	102	457	4.63	4.50	402	346	7	1.27
N.J.	318	314	1,244	3.94	3.97	781	780	28	1.78
Pa.	230	234	1,367	5.31	5.84	867	965	16	1.49
Ohio	301	310	1,413	4.38	4.56	944	990	31	2.55
Ind.	342	410	1,637	4.78	4.65	1,022	1,327	28	1.88
Ill.	205	182	861	4.19	4.46	922	543	30	3.79
Mich.	19	16	64	4.16	4.13	59	40	2	2.54
Wis.	115	93	432	4.33	4.65	234	270	8	1.82
Minn.	506	478	2,151	4.25	4.26	1,426	1,343	74	4.08
Iowa	69	37	305	4.40	5.01	212	132	10	1.78
Mo.	357	669	1,973	5.53	5.24	1,398	2,419	60	2.83
Nebr.	197	---	---	4.21	---	548	---	34	4.55
Del.	17	15	116	7.89	7.52	95	83	1	1.46
Md.	215	---	---	4.11	---	616	---	14	1.77
Va.	148	183	1,013	6.39	5.53	688	709	19	2.18
N.C.	353	498	3,031	6.14	6.09	1,519	2,123	33	1.71
S.C.	18	43	292	7.00	6.73	92	207	4	3.04
Ga.	463	453	3,118	6.74	6.79	2,305	2,289	57	2.04
Ky.	75	---	423	---	5.66	289	---	11	---
Tenn.	209	164	1,050	5.76	6.39	833	718	20	1.92
Ala.	259	155	1,658	6.41	6.55	1,207	746	39	2.65
Miss.	58	57	382	6.58	7.43	280	307	7	1.99
Ark.	114	105	822	6.11	7.86	485	575	18	2.85
La.-Okla.	4/	139	752	5.41	6.50	506	597	30	3.79
Texas	164	222	847	5.15	5.75	574	861	28	3.75
Idaho	8	22	42	4.92	4.47	67	67	1	4.30
Utah	30	39	117	3.93	3.84	85	105	2	2.10
Wash.	53	108	230	4.32	4.45	151	314	4	2.00
Oreg.	3/	54	---	4.57	---	179	---	8	3.65
Calif.	795	831	3,387	4.26	4.35	2,284	2,382	96	3.16
								101	3.09

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, April 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Para- sites	Bruises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	18	1,931	7,107	19	3,581	2,643	326	401	1,169	64	14	110	17,385
E.N.Cent.	1,723	4,454	8,005	33	2,573	3,669	418	722	1,099	57	---	2,841	25,719
W.N.Cent.	4,972	3,104	12,815	123	5,685	3,166	1,136	1,009	1,548	219	6	4,351	38,306
S.Atl.	16	1,122	5,759	102	3,070	1,538	337	704	1,569	252	28	14,109	28,607
S.Cent.	19	3,616	7,729	331	4,311	2,274	289	381	3,058	65	16	5,196	27,312
West.	1	1,040	10,620	212	4,285	6,935	1,094	541	914	87	---	3,995	29,740
U.S.	6,749	15,267	52,035	820	23,505	20,225	3,600	3,758	9,357	744	64	30,602	167,069
Maine	---	331	1,534	3	1,182	198	47	82	392	13	---	109	3,891
N.Y.	2	255	402	2	268	235	71	89	77	34	9	---	1,444
N.J.	16	454	2,596	---	609	1,291	34	108	258	2	2	---	5,370
Pa.	---	289	1,193	8	479	291	87	46	181	11	3	---	2,588
Ohio	398	1,664	1,849	14	1,315	1,064	60	317	191	11	---	557	7,510
Ind.	371	1,661	3,449	9	233	1,755	184	253	347	28	---	2,165	10,502
Ill.	642	625	2,023	3	466	375	97	116	447	14	---	107	4,923
Mich.	2	57	196	4	14	93	2	17	4	---	---	9	398
Wis.	310	447	488	3	545	382	75	19	110	4	---	3	2,386
Minn.	2,448	807	3,735	2	2,663	1,987	489	340	413	153	5	3,607	16,693
Iowa	187	136	256	---	80	27	4	9	24	27	---	29	794
Mo.	371	1,384	5,976	107	1,565	1,037	110	615	946	37	1	639	13,379
Del.	---	62	63	2	44	12	1	5	1	---	---	---	190
Va.	---	281	2,053	57	1,488	522	14	80	109	8	1	---	4,613
N.C.	---	128	1,100	11	363	454	76	282	594	225	---	5,954	9,187
S.C.	---	11	70	12	75	23	16	34	50	2	---	606	899
Ga.	---	161	746	20	289	329	79	144	712	1	8	7,279	9,769
Ky.	8	80	557	---	318	801	16	4	67	---	---	7	1,858
Tenn.	---	271	1,052	125	71	123	69	84	779	38	10	2,181	4,803
Ala.	---	57	298	11	43	373	10	62	203	3	1	2,332	3,393
Miss.	---	32	176	17	95	38	16	22	101	6	2	621	1,126
Ark.	---	177	1,276	117	823	154	43	59	588	---	---	2	3,240
La.-Okla. 1/	11	682	1,773	13	1,113	197	62	77	562	10	2	50	4,573
Texas	---	2,317	2,597	48	1,848	588	73	73	758	8	1	3	8,319
Idaho	---	9	296	22	27	23	22	15	40	1	---	24	479
Utah	1	75	156	2	42	56	10	11	5	1	---	---	359
Wash.	---	120	971	---	230	227	17	9	211	16	---	543	2,344
Calif.	---	836	9,197	188	3,986	6,629	1,045	506	658	69	---	3,428	26,558

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal inspection, by regions and selected States, April 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	Pounds	Percent
N.Atl.	60	39	614	513	10.23	13.15	486	302	5	4
E.N.Cent.	80	52	994	553	12.42	10.63	776	438	10	5
M.N.Cent.	135	53	2,252	808	16.68	15.25	1,802	625	23	13
S.Atl.	223	176	3,672	3,276	16.47	18.61	2,971	2,623	24	35
S.Cent.	100	27	1,598	490	15.98	18.15	1,276	390	8	5
West.	262	386	4,162	6,183	15.89	16.02	3,324	4,980	53	82
U.S.	860	733	13,292	11,823	15.46	16.13	10,635	9,358	123	144
Pa.	56	18	565	290	10.12	15.83	447	200	5	2
Ohio 3/	36	21	336	195	9.23	9.27	254	158	2	---
Wis.	39	31	598	356	15.17	11.37	473	278	7	5
Co.Minn.	98	50	1,622	763	16.50	15.38	1,315	594	16	13
Mo. 3/	4	1	121	10	30.25	10.00	84	7	2	---
Va.	28	36	421	559	14.96	15.69	334	423	6	6
N.C.	154	113	2,818	2,394	18.26	21.23	2,302	1,943	16	28
Texas	81	26	1,397	465	17.28	17.71	1,116	372	8	4
Utah 3/	31	19	468	196	14.91	10.49	374	149	5	---
Calif.	228	357	3,666	5,828	16.06	16.31	2,929	4,703	48	79

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, April 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	---	21	261	35	34	---	---	14	5	118	---	4	---	492
E.N.Cent.	---	---	163	7	32	---	---	5	53	20	1	1	29	311
W.N.Cent.	---	1	288	325	91	2	---	39	18	20	1	1	---	786
S.Atl.	---	15	529	374	847	---	---	17	11	48	1	---	288	2,130
S.Cent.	---	6	98	65	49	1	---	3	3	9	---	---	---	234
West.	---	22	1,467	832	801	18	3	149	127	150	8	9	496	4,082
U.S.	---	65	2,806	1,638	1,854	21	3	227	217	365	11	15	813	8,035
Pa.	---	2	77	3	3	---	---	4	2	1	---	---	---	92
Ohio	---	---	22	3	5	---	---	2	15	3	---	---	---	50
Wis.	---	---	140	4	27	---	---	3	38	17	1	1	29	260
Minn.	---	1	276	323	87	2	---	39	17	18	1	1	---	765
Mo.	---	---	1	---	1	---	---	---	1	---	---	---	---	3
Va.	---	3	135	122	40	---	---	3	5	4	---	---	---	312
N.C.	---	12	350	211	742	---	---	5	5	42	1	---	288	1,656
Texas	---	6	91	24	48	1	---	2	1	6	---	---	---	179
Utah	---	---	29	1	4	---	---	3	---	5	---	---	---	42
Calif.	---	21	1,377	816	732	14	3	146	126	145	8	---	496	3,884

Fryer-roaster turkeys: Slaughtered under Federal inspection, by regions and selected States, April 1961 and 1962

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
	1961		1962		1961		1962		1961	
	Thou.	Thou.	Thou.	Thou.	Pounds	Pounds	Pounds	Pounds	pounds	Percent
N.Atl. 3/	7	15	1,000	1,000	8.29	8.91	1,000	1,000	1,000	0.81
E.N.Cent.	276	354	2,546	3,229	9.22	9.12	2,011	18	22	0.79
W.N.Cent.	625	480	5,318	4,083	8.51	8.51	4,227	60	35	1.26
S.Atl.	89	106	770	950	8.65	8.96	591	18	13	2.60
S.Cent.	35	26	273	201	7.80	7.73	213	1	2	1.41
West.	129	67	1,041	573	8.07	8.55	800	8	7	1.36
U.S.	1,161	1,048	10,006	9,173	8.62	8.75	7,886	105	80	1.17
Ohio	54	34	477	309	8.84	9.08	374	2	1	.55
Wis.	221	315	2,057	2,880	9.32	9.13	1,628	16	21	.81
Minn.	549	470	4,710	4,005	8.59	8.53	3,749	55	35	1.31
Va.	78	104	678	930	8.75	8.94	520	18	13	2.98
Ark. 4/	24	---	179	---	7.62	---	140	1	---	.69
Calif.	90	62	692	534	7.70	8.66	530	8	7	1.21

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, April 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Air- sac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver- ination	Contam- ination	Over- : scald :	Decom- position :	Other :	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	39	8	5	---	---	---	4	4	---	---	---	---	60
E. N. Cent.	---	3	977	140	429	1	1	51	108	261	10	---	319	2,300
W. N. Cent.	---	1	1,909	576	276	---	---	92	388	303	27	---	---	3,572
S. Atl.	---	4	637	414	164	---	---	14	17	32	---	---	---	1,282
S. Cent.	---	---	215	24	56	---	---	2	---	40	7	---	---	344
West	---	---	324	14	51	1	---	24	21	81	1	---	7	524
U. S.	---	8	4,101	1,176	981	2	1	183	538	721	45	---	326	8,082
Ohio	---	1	26	2	8	---	1	6	16	22	1	---	---	83
Wis.	---	2	943	134	421	1	---	45	89	238	9	---	319	2,201
Minn.	---	1	1,909	575	260	---	---	91	388	303	27	---	---	3,554
Va.	---	4	637	414	155	---	---	13	17	32	---	---	---	1,272
Calif.	---	---	324	14	51	1	---	24	21	81	1	---	7	524

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal inspection, by regions and selected States, April 1961 and 1962

Region and State	Number inspected	Pounds inspected		Average live weight		Total pounds certified		Post-mortem condemnations	
		1961	1962	1961	1962	1961	1962	1961	1962
		Thou.	Thou.	Pounds	Pounds	pounds	pounds	Percent	Percent
N.Atl. 3/		---	---	---	---	---	---	---	---
E.N.Cent.		61	21	16.75	18.71	212	310	5	7
W.N.Cent.		101	34	19.81	19.26	1,600	508	49	24
S.Atl.		14	11	17.64	20.18	197	176	3	3
S.Cent.		31	15	20.52	20.80	518	7	11	11
West.		86	79	19.44	21.58	1,379	1,363	31	31
U.S.		248	162	19.47	20.42	3,908	2,620	95	77
Ohio 3/		2	3	11.75	19.15	14	41	---	---
Wis.		11	17	17.02	19.07	147	256	4	6
Minn.		82	30	19.78	18.99	1,287	442	42	23
Iowa 4/		17	---	20.55	---	285	---	7	---
Va.		4	11	15.29	19.73	44	173	1	3
Texas		28	13	20.23	20.89	460	219	6	8
Calif.		59	79	19.70	21.58	970	1,363	23	31

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, April 1962

Region and State	Tuber- : culosis	Leu- : cosis	Septi- : cemia	Airsac- : culitis	Inflam- : matory	Tumors- : Tumor	Para- : sites	Bruises- : Bruise	Cadaver- : ination	Contam- : scald	Over- : position	Decom- : position	Other	Total
N.Atl.	No. ---	No. ---	No. 77	No. ---	No. 4	No. ---	No. ---	No. ---	No. 2	No. 2	No. ---	No. ---	No. ---	No. 83
E.N.Cent.	No. ---	No. 5	No. 77	No. 34	No. 70	No. ---	No. ---	No. 2	No. 8	No. 9	No. ---	No. ---	No. 68	No. 273
W.N.Cent.	No. 2	No. 5	No. 332	No. 239	No. 472	No. ---	No. ---	No. 20	No. 7	No. 28	No. 5	No. 1	No. ---	No. 1,111
S.Atl.	No. ---	No. 2	No. 68	No. 22	No. 33	No. 1	No. ---	No. ---	No. 2	No. 2	No. ---	No. ---	No. 4	No. 134
S.Cent.	No. ---	No. 10	No. 306	No. 212	No. 70	No. 5	No. ---	No. 2	No. 2	No. 14	No. ---	No. ---	No. 1	No. 622
West	No. ---	No. 11	No. 342	No. 106	No. 294	No. 16	No. ---	No. 83	No. 15	No. 22	No. 1	No. 1	No. 195	No. 1,086
U.S.	No. 2	No. 33	No. 1,202	No. 613	No. 943	No. 22	No. ---	No. 107	No. 34	No. 77	No. 6	No. 2	No. 268	No. 3,309
Ohio	No. ---	No. ---	No. 4	No. ---	No. 24	No. ---	No. ---	No. ---	No. 1	No. ---	No. ---	No. ---	No. 14	No. 43
Wis.	No. ---	No. 3	No. 67	No. 33	No. 46	No. ---	No. ---	No. 2	No. 5	No. 9	No. ---	No. ---	No. 54	No. 219
Minn.	No. 2	No. 4	No. 293	No. 235	No. 463	No. ---	No. ---	No. 17	No. 7	No. 23	No. 5	No. 1	No. ---	No. 1,050
Va.	No. ---	No. 2	No. 68	No. 22	No. 33	No. 1	No. ---	No. ---	No. 2	No. 2	No. ---	No. ---	No. ---	No. 130
Texas	No. ---	No. 10	No. 269	No. 12	No. 68	No. 5	No. ---	No. 2	No. 2	No. 10	No. ---	No. ---	No. ---	No. 378
Calif.	No. ---	No. 11	No. 342	No. 106	No. 294	No. 16	No. ---	No. 83	No. 15	No. 22	No. 1	No. 1	No. 195	No. 1,086

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS



Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months. After March 1, 1961, includes yearlings and breeders not banded under the National Turkey Improvement Plan.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age. After March 1, 1961, breeders banded under the National Turkey Improvement Plan.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.